

Land Subsidence Rate in the Holbrook Basin, Navajo County
 Based on ALOS-1 Satellite Interferometric Synthetic Aperture Radar (InSAR) Data
 Time Period of Analysis: 4.2 Years 12/06/2006 To 02/01/2011

© ASF 2006 - 2011
 © JAXA 2006 - 2011




Explanation

12/06/2006 To 02/01/2011

Land Subsidence Rate

- Decorrelation/No Data
- Greater 7 cm/yr (2.8 in/yr)
- 5 - 7 cm/yr (2.0 - 2.8 in/yr)
- 3 - 5 cm/yr (1.2 - 2.0 in/yr)
- 2 - 3 cm/yr (0.8 - 1.2 in/yr)
- 1 - 2 cm/yr (0.4 - 0.8 in/yr)
- 0.5 - 1 cm/yr (0.2 - 0.4 in/yr)
- 0 - 0.5 cm/yr (0 - 0.2 in/yr)

- Subsidence Feature
- Hardrock
- Cities/Towns
- Highways and Interstates**
- Interstate
- US
- State
- Roads
- Railway



Decorrelation (white areas) are areas where the phase of the received satellite signal changed between satellite passes, causing the data to be unusable. This occurs in areas where the land surface has been disturbed (i.e. bodies of water, snow, agriculture areas, areas of development, etc).

Coordinate System: NAD 1983 UTM Zone 12N
 Projection: Transverse Mercator
 Datum: North American 1983
 Units: Meter
 Created: 1/6/2015

