

ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division
500 North 3rd Street
Phoenix, Arizona 85004

WELL DRILLER REPORT

This report should be prepared by the driller in all detail and filed with the Department within 30 day following completion of the well.

1. Owner Name: US Army
Address: ATZS-EHU Ft. Huachuca AZ 85613
Street City State Zip
2. Driller Name: Arizona Beeman Drilling LLC
Address: P.O. Box 3370 Apache Junction AZ 85217
Street City State Zip
3. Location: 21S N/S 20E E/W 9 1/4 NE 1/4 NW 1/4 SW
Township Range Section 10-acre 40-acre 160-acre
4. Well Registration No. 55- 546330 (Required)
5. Permit No. _____ (If issued)

DESCRIPTION OF WELL


6. Total depth of hole 180 FT _____ ft.
7. Type of casing Steel & Pvc
8. Diameter and length of casing 2 in. from 0 to 175 , _____ in from _____ to _____
9. Method of sealing at reduction points No Reductions (Neat Cement)
10. Perforated from 60 to 90 , from 150 to 175 from _____ to _____
11. Size of cuts .020 Number of cuts per foot 30
12. If screen was installed: Length 55 ft. Diam 2 in. Type PVC
13. Method of construction Air/Mud Rotary Drilled
(drilled, dug, driven, bored, jetted, etc)
14. Date started November 28 1994
Month Day Year
15. Date completed November 29 1994
Month Day Year
16. Depth to water Static Water Level 68.22 ft. (If flowing well, so state)
17. Describe point from which depth measurements were made, and give sea-level elevation if available
Ground Level
18. If flowing well, state method of flow regulation: _____

19. Remarks: _____

**DO NOT WRITE IN THIS SPACE
OFFICE RECORD**

Registration No. 55-546330
File No. D(21-20)9cba
Received _____ By _____
Entered _____ By _____

WELL #1
TOTAL DEPTH 180 FT
SCREEN 60-90 & 150-175 FT
8" DIAMETER HOLE
2" CASING
STATIC WATER LEVEL: 68.22
(2/24/95)



ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division
500 North 3rd Street
Phoenix, Arizona 85004

WELL DRILLER REPORT

This report should be prepared by the driller in all detail and filed with the Department within 30 days following completion of the well.

- 1. Owner Name: US Army
Address: ATZS-EHU Ft Huachuca AZ 85613
2. Driller Name: Arizona Beeman Drilling LLC
Address: P.O. Box 3370 Apache Junction AZ 85217
3. Location: 21 S N/S 21 S E/W 10 1/4 NE 1/4 NW 1/4 SW
4. Well Registration No. 55-546332 (Required)
5. Permit No. (If issued)


DESCRIPTION OF WELL

- 6. Total depth of hole 400 ft.
7. Type of casing Steel & PVC
8. Diameter and length of casing 2 in. from 0 to 400
9. Method of sealing at reduction points No Reductions (Neat Cement)
10. Perforated from 300 to 395
11. Size of cuts .020 Number of cuts per foot 30
12. If screen was installed: Length 95 ft. Diam 2 in. Type PVC
13. Method of construction Air/Mud rotary Drilled
14. Date started January 17 1995
15. Date completed January 19 1995
16. Depth to water Static Water Level 245.28 ft. (If flowing well, so state)

17. Describe point from which depth measurements were made, and give sea-level elevation if available
Ground Level
18. If flowing well, state method of flow regulation:
19. Remarks:

DO NOT WRITE IN THIS SPACE
OFFICE RECORD
Registration No. 55-546332
File No. D(21-21)10ada
Received By
Entered By

WELL # 2
TOTAL DEPTH 400 FT
SCREEN 300-395 FT
6 1/2" DIAMETER HOLE
2" CASING
STATIC WATER LEVEL: 245.28
(2/24/95)



ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division
500 North 3rd Street
Phoenix, Arizona 85004

WELL DRILLER REPORT

This report should be prepared by the driller in all detail and filed with the Department within 30 days following completion of the well.

- 1. Owner Name: US Army
Address: ATZS-EHU FT Huachuca AZ 85613
Street City State Zip
- 2. Driller Name: Arizona Beeman Drilling LLC
Address: P.O. Box 3370 Apache Junction AZ 85217
Street City State Zip
- 3. Location: 21 S N/S 21 E E/W 19 1/4 SE 1/4 SE 1/4 SW
Township Range Section 10-acre 40-acre 160-acre
- 4. Well Registration No. 55- 546326 (Required)
- 5. Permit No. _____ (If issued)

DESCRIPTION OF WELL


- 6. Total depth of hole 400 ft.
- 7. Type of casing Steel & PVC
- 8. Diameter and length of casing 2 in. from 0 to 400, in from _____ to _____
- 9. Method of sealing at reduction points No Reductions (Neat Cement)
- 10. Perforated from 300 to 380, from _____ to _____ from _____ to _____
- 11. Size of cuts 020 Number of cuts per foot 30
- 12. If screen was installed: Length 80 ft. Diam 2 in. Type PVC
- 13. Method of construction Air/Mud Rotary Drilled
(drilled, dug, driven, bored, jetted, etc)
- 14. Date started January 4 1995
Month Day Year
- 15. Date completed January 9 1995
Month Day Year
- 16. Depth to water Static Water Level 235.85 ft. (If flowing well, so state)
- 17. Describe point from which depth measurements were made, and give sea-level elevation if available
Ground Water
- 18. If flowing well, state method of flow regulation: _____

19. Remarks: _____

**DO NOT WRITE IN THIS SPACE
OFFICE RECORD**

Registration No. 55-546326
File No. D(21-21)19cdd
Received _____ By _____
Entered _____ By _____

WELL #3
TOTAL DEPTH 400 FT
SCREEN 300-380 FT
6 1/2 DIAMETER HOLE
2" CASING
STATIC WATER LEVEL: 235.85
(2/24/95)



ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division
500 North 3rd Street
Phoenix, Arizona 85004

WELL DRILLER REPORT

This report should be prepared by the driller in all detail and filed with the Department within 30 days following completion of the well.

- 1. Owner Name: US ARMY
Address: ATZS-EHU Street Ft Huachuca City AZ State 85613 Zip
2. Driller Name: Arizona Beeman Drilling LLC
Address: P.O. Box 3370 Street Apache Junction City AZ State 85217 Zip
3. Location: 21S N/S 21 E E/W 20 1/4 SE 10-acre 1/4 SE 40-acre 1/4 NW 160-acre
4. Well Registration No. 55- 546328 (Required)
5. Permit No. (If issued)


DESCRIPTION OF WELL

- 6. Total depth of hole 215 ft.
7. Type of casing Steel & PVC
8. Diameter and length of casing 2 in. from 0 to 215 in from to
9. Method of sealing at reduction points No Reductions (Neat Cement)
10. Perforated from 185 to 215 from to from to
11. Size of cuts .020 Number of cuts per foot 30
12. If screen was installed: Length 30 ft. Diam 2 in. Type PVC
13. Method of construction Air/Mud Rotary (drilled, dug, driven, bored, jetted, etc)
14. Date started January 3 1995
15. Date completed January 5 1995
16. Depth to water Static Water Level 127.20 ft. (If flowing well, so state)
17. Describe point from which depth measurements were made, and give sea-level elevation if available
Ground Level
18. If flowing well, state method of flow regulation:

19. Remarks:

DO NOT WRITE IN THIS SPACE
OFFICE RECORD
Registration No. 55-546328
File No. D(21-21)20bdd
Received By
Entered By

WELL #4
TOTAL DEPTH 215 FT
SCREEN 185-215 FT
6 1/2" DIAMETER HOLE
2" CASING
STATIC WATER LEVEL: 127.20
(2/24/95)



ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division
500 North 3rd Street
Phoenix, Arizona 85004

WELL DRILLER REPORT

This report should be prepared by the driller in all detail and filed with the Department within 30 days following completion of the well.

- 1. Owner Name: US ARMY
Address: ATZS-EHU Ft. Huachuca AZ 85613
2. Driller Name: Arizona Beeman Drilling LLC
Address: P.O. Box 3370 Apache Junction, AZ 85217
3. Location: 21 S N/S 21 E E/W 16 1/4 NE 1/4 NE 1/4 NE
4. Well Registration No. 55-546329 (Required)
5. Permit No. (If issued)

DESCRIPTION OF WELL

- 6. Total depth of hole 125 ft.
7. Type of casing Steel & PVC
8. Diameter and length of casing 2 in. from 0 to 125 in from to
9. Method of sealing at reduction points No reductions (Neat Cement)
10. Perforated from 85 to 120 from to from to
11. Size of cuts .020 Number of cuts per foot 30
12. If screen was installed: Length 35 ft. Diam 2 in. Type PVC
13. Method of construction Air/Mud Rotary
14. Date started December 2 1994
15. Date completed December 6 1994
16. Depth to water Static Water Level 95.56 ft. (If flowing well, so state)


17. Describe point from which depth measurements were made, and give sea-level elevation if available
Ground Level

18. If flowing well, state method of flow regulation:

19. Remarks:

DO NOT WRITE IN THIS SPACE
OFFICE RECORD
Registration No. 55-546329
File No. D(21-21)16aaa
Received By
Entered By

WELL #5
TOTAL DEPTH 125 FT
SCREEN 85-120 Ft
8 1/2" DIAMETER HOLE
2" CASING
STATIC WATER LEVEL: 95.58
(2/24/95)



ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division
500 North 3rd Street
Phoenix, Arizona 85004

WELL DRILLER REPORT

This report should be prepared by the driller in all detail and filed with the Department within 30 days following completion of the well.

- 1. Owner Name: US ARMY
Address: ATZS-FHI Street Ft Huachuca City AZ State 85613 Zip
2. Driller Name: Arizona Beeman Drilling LLC
Address: P.O. Box 3370 Street Apache Junction City AZ State 85217 Zip
3. Location: 21S N/S 20 E E/W 14 1/4 SW 1/4 NE 1/4 SE
Township Range Section 10-acre 40-acre 160-acre
4. Well Registration No. 55- 546331 (Required)
5. Permit No. (If issued)


DESCRIPTION OF WELL

- 6. Total depth of hole 400 ft.
7. Type of casing Steel & PVC
8. Diameter and length of casing 2 in. from 0 to 400 in from to
9. Method of sealing at reduction points No reductions (No Reductions)
10. Perforated from 300 to 395 from to from to
11. Size of cuts .020 Number of cuts per foot 30
12. If screen was installed: Length 95 ft. Diam 2 in. Type PVC
13. Method of construction Air/Mud Rotary Drilled
(drilled, dug, driven, bored, jetted, etc)
14. Date started January 10 1995
Month Day Year
15. Date completed January 16 1995
Month Day Year
16. Depth to water Static Water Level 273.37 ft. (If flowing well, so state)
17. Describe point from which depth measurements were made, and give sea-level elevation if available
Ground Level
18. If flowing well, state method of flow regulation:

19. Remarks:

DO NOT WRITE IN THIS SPACE
OFFICE RECORD
Registration No. 55-546331
File No. D(21-20)14dac
Received By
Entered By

WELL #6
TOTAL DEPTH 400 F
SCREEN 300-395 FT
6 1/2" DIAMETER HOLE
2" CASING
STATIC WATER LEVEL: 273.37
(2/24/95)



ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division
500 North 3rd Street
Phoenix, Arizona 85004

WELL DRILLER REPORT

This report should be prepared by the driller in all detail and filed with the Department within 30 days following completion of the well.

- 1. Owner Name: US ARMY
Address: ATZS-EHU Ft Huachuca AZ 85613
2. Driller Name: Arizona Beeman Drilling LLC
Address: P.O. Box 3370 Apache Junction AZ 85217
3. Location: 20S N/S 21E E/W 33 1/4 SE 1/4 SE 1/4 SW
4. Well Registration No. 55- 546327 (Required)
5. Permit No. (If issued)

DESCRIPTION OF WELL

- 6. Total depth of hole 240 ft.
7. Type of casing Steel & PVC
8. Diameter and length of casing 2 in. from 0 to 240 in from to
9. Method of sealing at reduction points No Reductions (Neat Cement)
10. Perforated from 110 to 140 from 210 to 235 from to
11. Size of cuts .020 Number of cuts per foot 30
12. If screen was installed: Length 55 ft. Diam 2 in. Type PVC
13. Method of construction Air/Mud rotary Drilled
14. Date started November 29 1994
15. Date completed December 2 1994
16. Depth to water Static Wataer Level: 102.44 ft. (If flowing well, so state)
17. Describe point from which depth measurements were made, and give sea-level elevation if available
18. If flowing well, state method of flow regulation:

19. Remarks:

DO NOT WRITE IN THIS SPACE
OFFICE RECORD
Registration No. 55=546327
File No. D(20-21)33cdd
Received By

WELL #7
TOTAL DEPTH 240 FT
SCREEN 110-140 & 210-235 FT
6 1/2 HOLE DIAMETER
2" CASING
STATIC WATER LEVEL: 102.44
(2/24/95)

