



Section 8.4


Santa Cruz AMA



8.4.1 Geography of the Santa Cruz AMA

The Santa Cruz AMA is 716 square miles in area. Geographic features and principal communities are shown on Figure 8.4-1. The AMA is characterized by mid to high elevation mountains surrounding the Santa Cruz River Valley. Vegetation types include southwestern grassland, madrean evergreen woodland and riparian species, principally found along the Santa Cruz River and Sonoita Creek (See Figure 8.0-10)

- Principal geographic features shown on Figure 8.4-1 are:
 - The Santa Cruz River flowing north in the center of the AMA
 - Sonoita Creek running from the eastern AMA boundary to its confluence with the Santa Cruz River near Rio Rico
 - The Sierrita and Santa Rita Mountains on the northern AMA boundary, the San Cayetano and Santa Rita Mountains on the eastern boundary, and the Pajarito, Atascosa and Tumacacori Mountains on the western boundary.
 - The lowest point in the AMA at 3,000 feet where the Santa Cruz River exits the AMA
 - The highest point in the AMA at 9,453 feet at Mt. Wrightson in the Santa Rita Mountains



Base Map: USGS 1:500,000, 1981




Figure 8.4-1
Santa Cruz AMA
Geographic Features

- International Boundary
- COUNTY
- City, Town or Place

8.4.2 Land Ownership in the Santa Cruz AMA

Land ownership, including the percentage of ownership by category, for the Santa Cruz AMA is shown in Figure 8.4-2. Features of land ownership in the AMA are contiguous areas of private and forest service land. A description of land ownership data sources and methods is found in Volume 1, Appendix A. More detailed information on National Parks, Monuments and Wilderness Areas is found in Section 8.0.4. Land ownership categories are discussed below in the order of percentage from largest to smallest in the AMA.

Private

- 42.6% of the land is private.
- Land uses include domestic, commercial, agriculture and grazing.

National Forest

- 35.7% of the land is federally owned and by the United States Forest Service (USFS) as the Coronado National Forest.
- The AMA contains 5,540 acres of the 15,860-acre Mt. Wrightson Wilderness in the northeast corner (See Figure 8.0-13).
- Land uses include resource conservation, recreation and grazing.

State Trust Land


- 21.3% of the land is held in trust for the public schools and other beneficiaries under the State Trust Land system.
- Primary land use is grazing.

U.S. Bureau of Land Management (BLM)

- 0.2% of the land is federally owned and managed by the Tucson Field Office of the U.S. Bureau of Land Management.
- Primary land use is grazing.

Other (Game and Fish, County and Bureau of Reclamation Lands)

- 0.1% of the land is owned and managed by Arizona State Parks as Patagonia State Park and Tubac Presidio State Historic Park.
- Primary land use is recreation.



Source: ALRIS, 2004




Figure 8.4-2
Santa Cruz AMA
Land Ownership

- Private (42.6%)
- National Forest (35.7%)
- State Trust (21.3%)
- BLM (0.2%)
- Other (0.1%)
- National Forest Boundary
- International Boundary
- COUNTY
- Interstate Highway
- Major Road
- City, Town or Place



8.4.3 Climate of the Santa Cruz AMA

Climate data from NOAA/NWS Co-op Network and Evaporation Pan stations are compiled in Table 8.4-1 and the locations are shown on Figure 8.4-3. Figure 8.4-3 also shows precipitation contour data from the Spatial Climate Analysis Service (SCAS) at Oregon State University. The Santa Cruz AMA does not contain AZMET or SNOTEL/Snowcourse stations. More detailed information on climate is found in Section 8.0.3. A description of the climate data sources and methods is found in Volume 1, Appendix A.

NOAA/NWS Co-op Network

- Refer to Table 8.4-1A
- There are four NOAA/NWS Co-op Network stations in the AMA. The average monthly maximum temperature occurs in July and is between 78°F and 81.1°F. The average monthly minimum temperature occurs in January and is between 45.5°F and 48.4°F.
- Highest average seasonal rainfall occurs in the summer (July-September). For the period of record used, the highest average annual rainfall is 19.03 inches at the Nogales 6N station and the lowest is 15.70 inches at the Old Nogales station.

Evaporation Pan

- Refer to Table 8.4-1B
- There is one Evaporation Pan station in the AMA. Elevation at the station is 3,560 feet and average annual evaporation is 91.2 inches.

SCAS Precipitation Data

- See Figure 8.4-3
- Additional precipitation data shows average annual rainfall as high as 36 inches on the eastern AMA boundary and as low as 14 inches in the center of the AMA in the vicinity of Amado and Tubac.

Table 8.4-1 Climate Data for the Santa Cruz AMA

A. NOAA/NWS Co-op Network:

Station Name	Elevation (in feet)	Period of Record Used for Averages	Monthly Average Temperature Range (in F)		Average Precipitation (in inches)				
			Max/Month	Min/Month	Winter	Spring	Summer	Fall	Annual
Nogales	3,813	1948-1983 ¹	78/Jul	45.5/Jan	3.41	1.20	9.64	3.65	17.90
Nogales 6 N	3,560	1971-2000	78.9/Jul	45.5/Jan	3.40	1.35	10.19	4.09	19.03
Old Nogales	3,904	1892-1948 ¹	80.1/Jul	46.6/Jan	2.59	0.92	9.59	2.60	15.70
Tumacacori Natl Monm	3,266	1971-2000	81.1/Jul	48.4/Jan	3.37	1.03	9.48	3.52	17.40

Source: WRCC, 2005b

Notes:

¹Average temperature data from period of record shown; average precipitation data from 1971 - 2000

B. Evaporation Pan:

Station Name	Elevation (in feet)	Period of Record Used for Averages	Avg. Annual Evap (in inches)
Nogales 6 N	3,560	1952-2005	91.20


Source: WRCC, 2005a

C. AZMET:

Station Name	Elevation (in feet)	Period of Record	Average Annual Reference Evapotranspiration, in inches (Number of years to calculate averages)
None			

D. SNOTEL/Snowcourse:

Station Name	Elevation (in feet)	Period of Record	Average Snowpack, at Beginning of the Month, as Inches Snow Water Content (Number of measurements to calculate average)					
			Jan.	Feb.	March	April	May	June
None								



8.4.4 Surface Water Conditions in the Santa Cruz AMA

Streamflow data, including average seasonal flow, annual flow and other information are shown in Table 8.4-2. Flood ALERT equipment in the AMA is shown in Table 8.4-3. Flood ALERT equipment information is current up to October 2005. New flood warning gages are routinely added to the ALERT network so the current number of stations may be greater. Reservoir and stockpond data, including maximum storage or maximum surface area, are shown in Table 8.4-4. The location of streamflow gages identified by USGS number, flood ALERT equipment and large reservoirs are shown on Figure 8.4-4. There are no mapped USGS runoff contours in the Santa Cruz AMA. Descriptions of stream, reservoir and stockpond data sources and methods are found in Volume 1, Appendix A.

Streamflow Data

- Refer to Table 8.4-2.
- Data from four stations located at three watercourses are shown in the table and on Figure 8.4-4.
- Average seasonal flow is highest at most stations in the summer season (July-September).
- The largest annual flow recorded in the AMA is 88,145 acre feet in 1983 at the Santa Cruz River near Nogales gage with a contributing drainage area of 533 square miles.

Flood ALERT Equipment

- Refer to Table 8.4-3.
- There are four ALERT gages in the Santa Cruz AMA.

Reservoirs and Stockponds

- Refer to Table 8.4-4.
- The AMA contains two large reservoirs. The largest, Patagonia, has a maximum storage of 7,540 acre-feet.
- Surface water is stored or could be stored in four small reservoirs.
- There are 452 registered stockponds in the Santa Cruz AMA.

Table 8.4-2 Streamflow Data for the Santa Cruz AMA

Station Number	USGS Station Name	Drainage Area (in mi ²)	Gage Elevation (in feet)	Period of Record	Average Seasonal Flow (% of annual flow)				Annual Flow/Year (in acre-feet)				Years of Annual Flow Record	
					Winter	Spring	Summer	Fall	Minimum	Median	Mean	Maximum		
9480500	Santa Cruz River near Nogales	533	3,703	1/1913-current (real-time)	29	3	46	22	273 (2004)	14,013	18,627	88,145 (1983)	76	
9481000	Nogales Wash at Nogales	37	3,753	4/1932-3/1934 (discontinued)	No statistics run, less than 3 years data									
9481500	Sonoita Creek near Patagonia	209	3,818	6/1930-9/1972 (discontinued)	23	9	50	18	1,431 (1944)	4,857	5,868	20,714 (1966)	39	
9481740	Santa Cruz River at Tubac	NA	3,180	9/1995-current (real-time)	20	10	32	38	11,331 (1996)	16,837	25,276	82,257 (2000)	8	

Sources: USGS (NWIS) 2005 & 2008

Notes:

NA = Not available

Statistics based on Calendar Year

Annual Flow statistics based on monthly values

Summation of Average Seasonal Flows may not equal 100 due to rounding.

Period of record may not equal Year of Record used for annual Flow/Year statistics due to only using years with a 12 month record

In Period of Record, current equals November 2008

Seasonal and annual flow data used for statistics was retrieved in 2007

Table 8.4-3 Flood ALERT Equipment in the Santa Cruz AMA

Station ID	Station Name	Station Type	Install Date	Responsibility
2530	Potrero	Precipitation/Stage	10/16/2001	ADWR
2540	Las Canoas	Precipitation/Stage	10/15/2001	ADWR
2550	Nogales Wash	Precipitation/Stage	10/16/2001	ADWR
6060	Santa Cruz River @ Canoa	Precipitation/Stage	3/1/1993	Pima Co FCD

Source: ADWR 2005a

Notes:

ADWR = Arizona Department of Water Resources

FCD = Flood Control District




Table 8.4-4 Reservoirs and Stockponds in the Santa Cruz AMA

A. Large Reservoirs (500 acre-feet capacity and greater)

MAP KEY	RESERVOIR/LAKE NAME (Name of dam, if different)	OWNER/OPERATOR	MAXIMUM STORAGE (AF)	USE ¹	JURISDICTION
1	Patagonia	AZ Game and Fish Dept	7,540	R,S	State
2	Peña Blanca	Arizona State Parks	1,240	R	State

B. Other Large Reservoirs (50 acre surface area or greater)

MAP KEY	RESERVOIR/LAKE NAME (Name of dam, if different)	OWNER/OPERATOR	MAXIMUM SURFACE AREA (acres)	USE	JURISDICTION
None identified by ADWR at this time					

Source: Compilation of databases from ADWR & others

C. Small Reservoirs (greater than 15 acre-feet and less than 500 acre-feet capacity)

Total number: 1

Total maximum storage: 200 acre-feet

D. Other Small Reservoirs (between 5 and 50 acres surface area)²

Total number: 3

Total surface area: 26 acres


E. Stockponds (up to 15 acre-feet capacity)

Total number: 452

Notes:

¹ R = Recreation, S = Water Supply

²Capacity data is not available to ADWR



Stream Data Source: ALRIS, 2005b




Figure 8.4-4
Santa Cruz AMA
Surface Water Conditions

- Stream Channel (width of line reflects stream order)
- Large Reservoir
- USGS Gage and Station ID 9999999
- Flood ALERT Equip. & Station ID 9999
- International Boundary
- COUNTY
- Interstate Highway
- Major Road
- City, Town or Place

8.4.5 Perennial/Intermittent Streams and Springs in the Santa Cruz AMA

Major and minor springs with discharge rates and date of measurement, and the total number of springs in the AMA are shown in Table 8.4-5. The locations of major springs and perennial and intermittent streams are shown on Figure 8.4-5. Descriptions of data sources and methods for intermittent and perennial reaches and springs are found in Volume 1, Appendix A.

- Perennial streams include reaches of the Santa Cruz River and Sonoita Creek. The perennial reach of the Santa Cruz River is in a 12-mile long effluent dominated segment.
- A number of intermittent streams occur along the eastern AMA boundary.
- There are two major springs in the AMA with a measured discharge of 10 gallons per minute (gpm) or greater at any time.
- Springs with measured discharge of 1 to 10 gpm are not mapped but coordinates are given in Table 8.4-5B. There is one minor spring.
- Listed discharge rates may not be indicative of current conditions. Both measurements were taken during or prior to 1952.
- The total number of springs, regardless of discharge, identified by the USGS or ALRIS varies from 46 to 48, depending on the database reference.

Table 8.4-5 Springs in the Santa Cruz AMA

A. Major Springs (10 gpm or greater):

Map Key	Name	Location ¹		Discharge (in gpm)	Date Discharge Measured
		Latitude	Longitude		
1	Sopori	314321	1110707	377	1/9/1952
2	Elias	314228	1110949	40	NA

B. Minor Springs (1 to 10 gpm):


Name	Location ¹		Discharge (in gpm)	Date Discharge Measured
	Latitude	Longitude		
Pena Blanca	312321	1110530	4	4/17/1946

Source: Compilation of databases from ADWR & others

C. Total number of springs, regardless of discharge, identified by USGS (see ALRIS, 2005a and USGS, 2006b): 46 to 48

Notes:

¹ Location datum is NAD 27



8.4.6 Groundwater Conditions of the Santa Cruz AMA

Major aquifers, well yields, estimated natural recharge, number of index wells and date of last water-level sweep are shown in Table 8.4-6. Figure 8.4-6 shows aquifer flow direction and water-level change between 1995 and 2004-2005. Figure 8.4-7 contains hydrographs for selected wells shown on Figures 8.4-6. Figure 8.4-8 shows well yields in five yield categories. There are no Underground Storage Facilities (USFs) in the Santa Cruz AMA. A description of aquifer data sources and methods as well as well data sources and methods, including water-level changes and well yields are found in Volume 1, Appendix A.

Major Aquifers

- Refer to Table 8.4-6 and Figure 8.4-6
- The major aquifers in this AMA are recent stream alluvium and basin fill.
- Groundwater flow is to the north, toward and along the Santa Cruz River drainage.
- Groundwater is stored in smaller, fault delimited micro-basins.

Well Yields

- Refer to Table 8.4-6 and Figure 8.4-8
- One source of well yield information, based on 115 reported wells, indicates that the median well yield is 800 gpm.
- Well yields are typically higher in the recent stream alluvium and lower in the basin fill.

Natural Recharge

- Refer to Table 8.4-6
- Natural recharge in the Santa Cruz AMA is estimated at 61,050 acre-feet per year.
- Sources of natural recharge include infiltration from the Santa Cruz River, mountain front recharge and groundwater inflow from the south.

Water Level

- Refer to Figure 8.4-6. Water levels are shown for wells measured in 2004-2005.
- The Department annually measures 52 index wells in the AMA. Hydrographs for five of these wells are shown on Figure 8.4-7.
- The deepest and shallowest water levels shown are along Highway 289 at 323 feet and two feet, respectively.

Table 8.4-6 Groundwater Data for the Santa Cruz AMA

Basin Area, in square miles:	716	
Major Aquifer(s):	Name and/or Geologic Units	
	Recent Stream Alluvium	
	Basin Fill	
Well Yields, in gal/min:	Range 3.6-4,083 Median 628 (97 wells measured)	ADWR GWSI
	Range 1-5,400 Median 800 (115 wells reported)	Reported on registration forms for large (> 10-inch) diameter wells (Wells55)
Estimated Natural Recharge, in acre-feet/year:	61,050	ADWR Santa Cruz TMP (ADWR, 1999)
Current Number of Index Wells:	52	
Date of Last Water-level Sweep:	2005 (186 well measurements)	

TMP = Third Management Plan

GWSI = Groundwater Site Inventory System




Figure 8.4-7
Santa Cruz Active Management Area
Hydrographs Showing Depth to Water in Selected Wells






Figure 8.4-7 (cont)
Santa Cruz Active Management Area
Hydrographs Showing Depth to Water in Selected Wells





8.4.7 Water Quality Exceedences and Contamination Sites in the Santa Cruz AMA

Sites with parameter concentrations that have equaled or exceeded drinking water standard(s) (DWS), including location and parameter(s) are shown in Table 8.4-7A. Impaired lakes and streams with site type, name, length of impaired reach, area of impaired lake, designated use standard and parameter(s) exceeded is shown in Table 8.4-7B. Figure 8.4-9 shows the location of water quality occurrences keyed to Table 8.4-7. Figure 8.4-10 shows the location of contamination sites in the Santa Cruz AMA with site information in Table 8.4-8. A description of water quality data sources and methods is found in Volume 1, Appendix A. Not all parameters were measured at all sites; selective sampling for particular constituents is common.

Well, mine and spring sites that have equaled or exceeded drinking water standards (DWS)

- Refer to Table 8.4-7A.
- Forty-four sites have parameter concentrations that have equaled or exceeded DWS.
- The most frequently equaled or exceeded parameters are organics and arsenic.
- Other parameters equaled or exceeded include mercury, fluoride, lead, radionuclides, selenium and nitrates.

Lakes and Streams with impaired waters

- Refer to Table 8.4-7B.
- Water quality standards were equaled or exceeded in three stream reaches and one lake. The parameters most commonly equaled or exceeded were copper and E. coli.
- One reach, Three R Canyon - headwaters to ephemeral segment, and one lake, Pena Blanca Lake, are part of the ADEQ water quality improvement effort called the Total Maximum Daily Load (TMDL) Program. The final TMDL document has been completed for both.

Effluent Dependent Reaches

- Refer to Figure 8.4-9
- A portion of the Santa Cruz River in this AMA is effluent dependent.

Contamination Sites

- Refer to Figure 8.4-10 and Table 8.4-8
- There are two contamination sites in the AMA in the vicinity of Nogales.

Table 8.4-7 Water Quality Exceedences in the Santa Cruz AMA¹

A. Wells, Springs and Mines

Map Key(s)	Location			Number of Stations	Parameter(s) Concentration has Equaled or Exceeded Drinking Water Standard (DWS) ²
	Township	Range	Section		
1	19 South	13 East	29	2	Organics, Pb
2	20 South	13 East	31	1	As
3	21 South	12 East	13	1	As
4	21 South	13 East	19	1	As
5	21 South	13 East	30	1	As
6	21 South	14 East	30	1	Hg
7	22 South	11 East	3	1	Rad
8	22 South	13 East	34	1	NO3
9	23 South	13 East	1	1	Pb
11	23 South	12 East	26	1	F
10, 12	23 South	14 East	19	2	NO3
12, 13	23 South	13 East	25	6	Organics
12	23 South	14 East	30	4	F, NO3, Organics
13, 15	23 South	13 East	36	6	F, NO3, Organics, Pb
14	23 South	14 East	31	4	As, Organics, Se
16	24 South	14 East	5	2	As, Organics
17	24 South	14 East	8	1	As
18	24 South	14 East	16	1	As, Pb
18, 19	24 South	14 East	17	6	As, Organics, Pb
19	24 South	14 East	20	1	Organics

Source: Compilation of databases from ADWR & others

B. Lakes and Streams

Map Key	Site Type	Site Name	Length of Impaired Stream Reach (in miles)	Area of Impaired Lake (in acres)	Designated Use Standard ³	Parameter(s) Exceeding Use Standard ²
a	Stream	Three R Canyon-headwaters to ephemeral segment	2.3	NA	A&W, PBC, Agl	Cd, Cu, Zn, pH
b	Stream	Santa Cruz River - Mexican border to Nogales WWTP outfall	17	NA	FBC	E. Coli
c	Stream	Nogales Wash - Mexico border to Santa Cruz River	6.2	NA	A&W, PBC	E. Coli, Cu, Cl
d	Lake	Pena Blanca Lake ⁴	NA	50	FC	Hg

Source: ADEQ 2005c

Notes:

¹ Water quality samples collected between 1975 and 2001. Listed TDS exceedences indicate "mineralized water" that contains over 3000 milligrams per liter (mg/l) of TDS and would require special well construction procedures (A.A.C. R12-15-812(B)). The secondary drinking water standard for TDS is 500 mg/l.

² As = Arsenic

Cd = Cadmium

Cl = Chlorine

Cu = Copper

F = Fluoride

Hg = Mercury

Pb = Lead

pH = Measurement of acidity or alkalinity

NO3 = Nitrate/ Nitrite

Organics = One or more of several volatile and semi-volatile organic compounds and pesticides

Rad = radionuclides

Se = Selenium

Zn = Zinc

³A&W = Aquatic and Wildlife

Agl = Agriculture

FC = Fish Consumption

FBC= Full Body Contact

PBC = Partial Body Contact

⁴ Pena Blanca Lake was emptied and dredged in 2009 to remove mercury contamination.





Table 8.4-8 Contamination Sites in the Santa Cruz AMA

SITE NAME	MEDIA AFFECTED AND CONTAMINANT
Voluntary Remediation Sites	
Valencia Power Plant	Soil & Groundwater/Volatile Organic Compounds (VOCs) and Chromium
Resource Conservation and Recovery Sites	
United Musical	Groundwater/Volatile Organic Compounds (VOCs)

Sources: ADEQ 2006a, ADEQ 2006b



8.4.8 Cultural Water Demands in the Santa Cruz AMA

Cultural water demand data including population, number of wells and the average well pumpage and non-groundwater use by the municipal, industrial and agricultural sectors are shown in Table 8.4-9. Effluent generation including facility ownership, location, population served and not served, volume treated, disposal method and treatment level is shown in Table 8.4-10. Figure 8.4-11 shows the location of demand centers. A description of cultural water demand data sources and methods is found in Volume 1, Appendix A. More detailed information on cultural water demands is found in Section 8.0.7.

Cultural Water Demands

- Refer to Table 8.4-9 and Figure 8.4-11.
- Population in this AMA increased from 18,728 in 1980 to 37,049 in 2000 and projections suggest an increase to over 70,000 residents by 2030.
- Total average annual water use in the Santa Cruz AMA has increased slightly since the early 1990s; however, the proportional use by the three major demand sectors has stayed relatively constant.
- In 2001-2005 agricultural water demand accounted for approximately 58% of the total annual water demand, the municipal sector accounts for 35% and the industrial sector approximately 7%.
- Coordinated management of groundwater and surface water is practiced in the Santa Cruz AMA and use of non-groundwater supplies have not been separately reported.
- As of 2005 there were 1,246 registered wells with a pumping capacity of less than or equal to 35 gpm and 593 wells with a pumping capacity of more than 35 gpm.

Effluent Generation

- Refer to Table 8.4-10.
- Seven wastewater treatment facilities were identified in the AMA.
- A variety of effluent disposal methods are used in the AMA but the largest volume of effluent is disposed of by discharge into the Santa Cruz River.
- More than 16,300 acre-feet of effluent is treated/generated annually in the AMA.

Table 8.4-9 Cultural Water Demand in the Santa Cruz AMA¹

Year	Estimated and Projected Population	Number of Registered Water Supply Wells Drilled		Average Annual Demand (in acre-feet) ²						Data Source
				Well Pumpage ³			Surface-Water Diversions			
		Q ≤ 35 gpm	Q > 35 gpm	Municipal	Industrial	Agricultural ⁴	Municipal	Industrial	Agricultural ⁴	
1971										
1972										
1973										
1974										
1975										
1976										
1977										
1978										
1979										
1980	18,728									
1981	19,128									
1982	19,536									
1983	19,957									
1984	20,402									
1985	20,911									
1986	21,516									
1987	22,682									
1988	23,449									
1989	26,107									
1990	27,747									
1991	28,413									
1992	29,102									
1993	30,296									
1994	31,209									
1995	31,950									
1996	33,010									
1997	33,815									
1998	34,716									
1999	36,114									
2000	37,049									
2001	38,395									
2002	40,953									
2003	45,021									
2004	46,809									
2005	47,201									
2010	49,101									
2020	60,706									
2025	65,795									
2030	70,343									
WELL TOTALS:		1,246	593							

Notes:

NR = Not reported.

¹ Does not include evaporation losses from stockponds and reservoirs.

² Includes Indian Demand

³ Within the Santa Cruz AMA, water is not separately defined as surface water or groundwater so all volumes are reported under well pumpage.

⁴ Agricultural demand does not include small exempt use after 1993.

⁵ Includes all wells through 1980.

⁶ Until 1994 the Santa Cruz AMA was part of the Tucson AMA. Water demand for the Santa Cruz AMA between 1971-1985 is included on Table 8.5-10, Tucson AMA Cultural Water Demand.

Table 8.4-10 Effluent Generation in the Santa Cruz AMA

Facility Name	Ownership	City/Location Served	Population Served	Volume Treated/Generated (acre-feet)	Disposal Method								Current Treatment Level	Population Not Served	Year of Record	
					Water - course	Evaporation Pond	Irrigation	Golf Course	Wildlife Area	Discharged to Another Facility	Infiltration Basin	Industrial Reuse				Other
Arivaca Junction WWTF	Pima County	Arivaca Junction	840	68		X						X		Secondary	NA	2004
Baca Float	Private	Tubac	342	6	X		X			X				Secondary	NA	2008
Kino Springs WWTF	City of Nogales	Nogales	176	22							X			Secondary	NA	2004
La Entrada De Tubac Plaza	Private	Tubac Plaza	NA	NA	NA								NA	NA	NA	
Madera Canyon	NA	Madera Canyon	161	NA			X							NA	NA	NA
Nogales International WWTP	City of Nogales/IBWC	Nogales	21,000 ¹	16,221 ²	X									Secondary	NA	2004
Tubac WWTF	Private	Tubac	1,710	19				X						Tertiary	NA	2008
Total			24,229	16,307												

Sources: Clean Water Needs Survey (CWNS) 2004 and 2006 Data, ADEQ 2005a

Notes:

¹ Population Served for Nogales International WWTP is the US portion only, 2004 estimate of Non-US residents served exceeds 367,000.


² Total volume generated from WWTP, includes both US and Non-US portions


IBWC = International Boundary and Water Commission

WWTF=Wastewater Treatment Facility

WWTP=Wastewater Treatment Plant

NA=not available





Primary Data Source:
USGS National Gap
Analysis Program, 2004



Figure 8.4-11
Santa Cruz AMA
Cultural Water Demand

- Demand Centers**
- Agriculture ■
 - M&I - High Intensity ■
 - M&I - Low Intensity ■
 - Small Mine/Quarry ⛏
 - COUNTY ▬
 - International Boundary ▬
 - Interstate Highway ⤵
 - Major Road ⤵
 - City, Town or Place ●

8.4.9 Assured Water Supply Determinations in the Santa Cruz AMA

Assured water supply determination information including the subdivision name, location, number of lots, date of determination and subdivision water provider are shown in Table 8.4-11A, B and C for certificates, water adequacy reports and analysis of assured water supply. Designated water provider information is shown in Table 8.4-11D with date of application, date the designation was issued and projected or annual estimated demand. Figure 8.4-12 shows the general locations of subdivisions (to the section level) and designated provider water service areas keyed to the Table. A description of the Assured Water Supply Program is found in Section 8.0.5 and in Volume 1, Appendix C. Assured Water Supply determination data sources and methods are found in Volume 1, Appendix A.

- Lot count totals may over estimate actual platted lots due to database accounting, changes in file numbering methodology and subsequent development plan changes.
- As of February 2008, 77 subdivisions with a total of 18,952 lots have been reviewed for an assured water supply determination. All but one of the determinations were in Santa Cruz County.
- 3,707 lots in 39 subdivisions received a Certificate of Assured Water Supply, 1,491 lots in 32 subdivisions received Water Adequacy Reports (pre-AMA determinations) and 13,754 lots in six developments received an Analyses of Assured Water Supply.
- There are two designated providers, City of Nogales and Baca Float Water Company, Inc, with a total projected or estimated annual water use of 6,655 acre-feet.

Table 8.4-11 Assured Water Supply Determinations in the Santa Cruz AMA¹

A. Certificates of Assured Water Supply

Map Key	Subdivision Name	County	Location			No. of Lots	ADWR File No.	Date of Determination	Water Provider at the Time of Application
			Township	Range	Section				
2	Lakewood Estates Lots 118-150	Pima	19 South	12 East	36	33	27-200175	04/06/83	Lakewood Water Company
3	Rio Cruz	Santa Cruz	20 South	13 East	31	21	27-400781	06/30/03	Arizona American Water Company - Tubac
4	Vistas at Soporí Ranch	Santa Cruz	21 South	12 East	1 & 11	322	27-500082	12/18/07	Soporí Domestic Water Improvement District
6	The Ranch at Aliso Springs, Lots 1-25	Santa Cruz	21 South	12 East	24	25	27-401280	12/23/04	Dry lot
7	Cerro Pelon	Santa Cruz	21 South	12 East	12	23	27-200047	02/07/94	Tubac Valley Water Company
	Silver Spur Ranchettes	Santa Cruz	21 South	12 East	12	6	27-200314	08/06/98	Tubac Valley Water Company
8	Barrio de Tubac Phase I	Santa Cruz	21 South	13 East	7 & 18	141	27-300303	08/15/97	Baca Float Water Company, Inc.
	San Miguel Patio Homes Phases II and III	Santa Cruz	21 South	13 East	18	9	27-401068	10/22/03	Baca Float Water Company, Inc.
	Cielito Lindo de Tubac Phase II	Santa Cruz	21 South	13 East	18	31	27-401069	10/22/03	Baca Float Water Company, Inc.
	Santiago at Barrio de Tubac Phase II	Santa Cruz	21 South	13 East	18	37	27-401070	10/22/03	Baca Float Water Company, Inc.
9	Palo Parada Estates	Santa Cruz	21 South	13 East	7	10	27-200215	06/16/92	Arizona American Water Company - Tubac
10	Estates de Anza	Santa Cruz	21 South	13 East	6	18	27-500038	03/22/07	Arizona American Water Company - Tubac
11	Tubac Valley C.C. Fairway Est. (1992)	Santa Cruz	21 South	13 East	5, 6 & 7	10	27-200359	05/28/92	Arizona American Water Company - Tubac
	Tubac Golf Resort Development	Santa Cruz	21 South	13 East	6, 7 & 8	229	27-401104	03/07/05	Arizona American Water Company - Tubac
12	Tubac Ranch Properties Lmted	Santa Cruz	21 South	13 East	5 & 6	111	27-200357	03/07/95	Arizona American Water Company - Tubac
13	Tubac Valley C.C. Fairway Est. (1984)	Santa Cruz	21 South	13 East	5 & 6	111	27-200358	04/19/84	Arizona American Water Company - Tubac
	Tubac Golf Resort Homes Lots 1-60	Santa Cruz	21 South	13 East	5 & 6	60	27-400929	06/26/03	Arizona American Water Company - Tubac
15	Tubac 40	Santa Cruz	21 South	13 East	6	85	27-500085	03/19/07	Arizona American Water Company - Tubac
16	Palo Parado Hills	Santa Cruz	22 South	13 East	7, 8, 17 & 18	16	27-200216	02/05/85	Dry lot
21	Calabasas Rio Rico Unit 4, Lots 1-348 and a portion of Lot C	Santa Cruz	22 South	13 East	2, 3, 10 & 11	348	27-700357	09/06/07	Rio Rico Utilities
	Rio Rico Unit 4, Lots A, B, D, F and a portion of Lot C	Santa Cruz	22 South	13 East	2, 3, 10 & 11	100	27-700358	09/06/07	Rio Rico Utilities
25	Rio Rico Villas Unit 5	Santa Cruz	22 South	13 East	24 & 25	1090	27-300331	04/28/99	Rio Rico Utilities
28	Rio Rico Ranchettes Unit 16	Santa Cruz	22 South	14 East	31, 32 & 33	259	27-300336	04/28/99	Rio Rico Utilities
29	Lake Patagonia Ranch	Santa Cruz	22 South	14 East	36	NA	27-200165	07/06/83	Dry lot
	Lake Patagonia Ranch	Santa Cruz	22 South	14 East	36	NA	27-200169	01/25/89	Dry lot
30	Sonoita Creek Ranch	Santa Cruz	22 South	14 East	1, 2 & 36	NA	27-200315	06/24/83	Dry lot
31	Lake Patagonia Ranch	Santa Cruz	22 South	15 East	5, 6 & 31	NA	27-200166	07/06/83	Dry lot
	Lake Patagonia Ranch	Santa Cruz	22 South	15 East	31	NA	27-200170	01/25/89	Dry lot
35	Pena Blanca Highlands	Santa Cruz	23 South	13 East	13, 24 & 25	127	27-200225	05/16/91	Valle Verde Water Co.
36	Coronado Estates	Santa Cruz	23 South	13 East	24 & 25	41	27-400934	07/28/03	Valle Verde Water Co.
37	Las Colinas Sagradas, Phase 1	Santa Cruz	23 South	13 East	24 & 25	264	27-700425	01/24/08	Valle Verde Water Co.
39	Las Minas Estates	Santa Cruz	23 South	13 East	25	NA	27-200176	09/10/81	Valle Verde Water Co.
	Las Minas Estates	Santa Cruz	23 South	13 East	25	133	27-200177	06/10/82	Valle Verde Water Co.
	Lopez Industrial Park	Santa Cruz	23 South	13 East	25	12	27-200185	04/10/86	Valle Verde Water Co.
48	Lake Patagonia Ranch	Santa Cruz	23 South	14 East	1 & 2	NA	27-200167	07/06/83	Dry lot
49	Lake Patagonia Ranch	Santa Cruz	23 South	14 East	1 & 2	NA	27-200171	01/25/89	Dry lot
50	Lake Patagonia Ranch	Santa Cruz	23 South	15 East	5 & 6	NA	27-200168	07/06/83	Dry lot
	Lake Patagonia Ranch	Santa Cruz	23 South	15 East	5 & 6	NA	27-200172	01/25/89	Dry lot
51	Lake Patagonia Ranch #6B	Santa Cruz	23 South	15 East	5	35	27-200173	04/08/93	Dry lot

Source: ADWR 2008

Table 8.4-11 Assured Water Supply Determinations in the Santa Cruz AMA (Cont)¹

B. Water Adequacy Reports

Map Key	Subdivision Name	County	Location			No. of Lots	ADWR File No.	ADWR Adequacy Determination ²	Date of Determination	Water Provider at the Time of Application ³
			Township	Range	Section					
3	Tubac Valley Villas	Santa Cruz	20 South	13 East	31	33	53-501582	Adequate	03/13/74	Arizona American Water Company - Tubac
7	Empty Saddle Estates	Santa Cruz	21 South	12 East	12	22	53-500613	Adequate	10/25/77	Arizona American Water Company - Tubac
10	Calle del Ayer	Santa Cruz	21 South	13 East	6	7	53-500377	Adequate	07/10/74	Tubac Valley Water Company
14	Rio Rico Villas Unit 14, lots 2, 20 & 53	Santa Cruz	21 South; 22 South	13 East; 14 East	32 & 33; 4 & 5	3	53-700379	Inadequate	07/27/07	Rio Rico Utilities
17	Ranchos Del Rio	Santa Cruz	22 South	13 East	9	55	53-401467	Inadequate	09/24/04	Rio Rico Utilities
18	Los Altos Subdivision	Santa Cruz	22 South	13 East	16	9	53-401465	Inadequate	09/02/04	Rio Rico Utilities
19	Rio Rico Villas #13	Santa Cruz	22 South	13 East	21, 22, 27, 28 & 34	298	53-501309	Inadequate	10/05/83	Rio Rico Utilities
20	Bella Vista North, Lots 109-121, 125-140, 174-227 & C.A.s "L" - "P"	Santa Cruz	22 South	13 East	34	83	53-401800	Inadequate	08/03/05	Rio Rico Utilities
22	Rio Rico Ranchettes #3	Santa Cruz	22 South	13 East	23, 24, 25 & 36	103	53-501308	Inadequate	10/05/83	Rio Rico Utilities
	Rio Rico Ranchettes Unit 3, #4/Unit 10	Santa Cruz	22 South	13 East	23	7	53-400091	Inadequate	06/14/99	Rio Rico Utilities
23	Rio Rico Estates #3	Santa Cruz	22 South	13 East	25, 26, 35 & 36	49	53-501307	Inadequate	10/05/83	Rio Rico Utilities
24	Piedras Blancas	Santa Cruz	22 South	13 East	13	37	53-401295	Inadequate	04/26/04	Rio Rico Utilities
26	Rio Rico Estates Unit 10	Santa Cruz	22 South	13 East	35 & 36	8	53-401735	Inadequate	08/11/05	Rio Rico Utilities
27	Rio Rico Ranchettes Unit 18	Santa Cruz	22 South	14 East	31	4	53-700235	Adequate	02/15/07	Dry lot
32	Rio Rico Resort Terrace	Santa Cruz	23 South	13 East	3	199	53-700307	Inadequate	04/18/07	Rio Rico Utilities
33	Bella Vista Unit 7	Santa Cruz	23 South	13 East	2 & 3	118	53-400361	Inadequate	07/19/00	Rio Rico Utilities
	Bella Vista North / Bella Vista III	Santa Cruz	23 South	13 East	2 & 3	234	53-401296	Inadequate	05/18/04	Rio Rico Utilities
34	Casitas De Anza	Santa Cruz	23 South	13 East	35	11	53-401527	Inadequate	11/03/04	Rio Rico Utilities
40	Meadow Hills Estates	Santa Cruz	23 South	13 East	36	35	53-500945	Adequate	09/17/73	Potrero Water Company
41	Rio Rico Estates Unit 10	Santa Cruz	23 South	13 East	1	8	53-401735	Inadequate	08/11/05	Rio Rico Utilities
42	Rio Rico Estates Unit 10	Santa Cruz	23 South	14 East	5, 6 & 7	8	53-401735	Inadequate	08/11/05	Rio Rico Utilities
43	Los Alamos	Santa Cruz	23 South	14 East	19	7	53-500915	Adequate	01/20/75	Valle Verde Water Co.
	Estancias Rio Vista	Santa Cruz	23 South	14 East	19	12	53-401528	Inadequate	11/04/04	Rio Rico Utilities
44	Valle Verde #10	Santa Cruz	23 South	14 East	31	12	53-501595	Adequate	09/15/75	Valle Verde Water Co.
	Mi Casa	Santa Cruz	23 South	14 East	31	47	53-500974	Adequate	09/22/76	Valle Verde Water Co.
	Batiz Park	Santa Cruz	23 South	14 East	31	19	53-500308	Adequate	09/22/76	Valle Verde Water Co.
45	Los Robles	Santa Cruz	23 South	14 East	5	6	53-500929	Adequate	08/22/79	Valle Verde Water Co.
	Rio Rico Ranchettes Unit II	Santa Cruz	23 South	14 East	5-8 & 17	7	53-400481	Inadequate	03/26/01	Rio Rico Utilities
46	River View Estates	Santa Cruz	23 South	14 East	17	9	53-401468	Inadequate	09/24/04	Rio Rico Utilities
47	Camino Cumbre	Santa Cruz	23 South	14 East	3 & 4	7	53-400950	Inadequate	06/02/03	Rio Rico Utilities
52	Buena Vista Mobile Home Park	Santa Cruz	24 South	15 East	18	0	53-500367	Adequate	07/30/84	Buena Vista Public Service
	Buena Vista Mobile Estates	Santa Cruz	24 South	15 East	7 & 18	34	53-500366	Adequate	01/21/81	Buena Vista Public Service

Source: ADWR 2008

C. Analyses of Assured Water Supply

Map Key	Subdivision Name	County	Location			No. of Lots	ADWR File No.	Date of Determination	Water Provider at the Time of Application
			Township	Range	Section				
1	Sopori Ranch	Santa Cruz	19 South; 20 South; 20 South; 21 South	12 East; 11 East; 13 East; 11 East	33 & 34; 11-15, 22, 27 & 33-35; 1-9, 12, 13, 18, 23-25, 28, 30, 31 & 33; 31; 4, 5, 8 & 9	9150	28-700267	04/20/07	Undetermined
5	Alegria Canyon	Santa Cruz	21 South	12 East	12, 13 & 14	209	28-401961	03/07/06	Undetermined
10	Three Flags	Santa Cruz	21 South	13 East	6	200	28-401980	03/07/06	Arizona American Water Company - Tubac
32	Rio Rico Urban Unit 4	Santa Cruz	23 South	13 East	2, 3, 10 & 11	367	28-300335	08/27/98	Rio Rico Utilities
36	Pena Blanca Highlands	Santa Cruz	23 South	13 East	13, 24 & 25	2788	28-400010	07/23/99	Valle Verde Water Co.
38	Las Colinas Sagradas	Santa Cruz	23 South	13 East	24 & 25	1040	28-700426	01/24/08	Valle Verde Water Co.

Source: ADWR 2008

Table 8.4-11 Assured Water Supply Determinations in the Santa Cruz AMA (Cont)¹

D. Designated Water Providers

Map Key	Water Provider Name	County	Designation No.	Date Application Received	Date Designation Issued	Projected or Annual Estimated Demand	Year of Projected or Annual Estimated
A	Baca Float Water Company, Inc.	Santa Cruz	26-400800	08/13/02	11/17/04	333	2011
B	City of Nogales	Santa Cruz	26-401358	05/14/04	04/19/05	6,322	2009

Source: ADWR 2008

Notes:


Prior to February 1995, ADWR did not assign file numbers to applications for adequacy. Between 1995-2006 all applications for adequacy were given a file number with a 22 prefix.

In 2006 a 53 prefix was assigned to all water adequacy reports and applications regardless of their issue date.

¹ Includes water reports issued under the Water Adequacy program prior to 1980 implementation of the Assured Water Supply program.

² Assured and Adequate Water Supply determinations are based on the information available to ADWR and the standards of review and policies in effect at the time the determination was made. A determination of inadequacy could be due to insufficient physical or legal access to water or poor water quality. The Adequacy Program was replaced by the Assured Water Supply Program in the AMAs in 1980.

³ Session law from 1981 (HB 2465, Chapter 203) exempts subdivisions from the Assured Water Supply program where "substantial capital investment toward construction prior to 6/12/80 in addition to original cost of buying the land" has occurred.



Santa Cruz AMA

References and Supplemental Reading

References

A

- Arizona Department of Economic Security (DES), 2005, Workforce Informer: Data file, accessed August 2005, <http://www.workforce.az.gov>. (Cultural Water Demand Table)
- Arizona Department of Environmental Quality, 2006a, Active DOD, Superfund, WQARF, and LUST contamination sites in Arizona: GIS cover, received February 2006.
- _____, 2006b, Superfund and WQARF programs, Accessed June 2008 at <http://www.azdeq.gov/environ/waste/sps/index.html>.
- _____, 2005a, Azurite: Data file, received September 2005.
- _____, 2005b, Effluent dependent waters: GIS cover, received December 2005.
- _____, 2005c, Impaired lakes and reaches: GIS cover, received January 2006.
- _____, 2004a, Water quality exceedences by watershed: Data file, received June 2004. (Water Quality Map and table)
- _____, 2004b, Water quality exceedences for drinking water providers in Arizona: Data file, received September 2004. (Water Quality Map and Table)
- Arizona Department of Water Resources (ADWR), 2009, Estimated cultural water demand in the AMA Planning Area: Unpublished Analysis, ADWR Office of Data Management.
- _____, 2008, Assured and adequate water supply applications: Project files, ADWR Hydrology Division.
- _____, 2005a, Flood warning gages: Database, ADWR Office of Water Engineering.
- _____, 2005b, Inspected dams: Database, ADWR Office of Dam Safety. (Reservoirs and Stockponds Table)
- _____, 2005, Non-jurisdictional dams: Database, ADWR Office of Dam Safety. (Reservoirs and Stockponds Table)
- _____, 2005, Groundwater Site Inventory (GWSI): Database, ADWR Hydrology Division.
- _____, 2005, Registry of surface water rights: ADWR Office of Water Management. (Reservoirs and Stockponds Table)
- _____, 2005, Wells55: Database.
- _____, 2004, Annual withdrawal and use reports for the Santa Cruz AMA: ADWR Office of Water Management.
- _____, 1999, Third Management Plan for the Santa Cruz Active Management Area 2000-2010.
- _____, 1994a, Arizona Water Resources Assessment, Vol. I, Inventory and Analysis.
- _____, 1994b, Arizona Water Resources Assessment, Vol. II, Hydrologic Summary.
- Arizona Game and Fish Department (AGF), 1997 & 1993, Statewide riparian inventory and mapping project: GIS cover.
- Arizona Land Resource Information System (ALRIS), 2005a, Springs: GIS cover, accessed January 2006 at <http://www.land.state.az.us/alris/index.html>.
- _____, 2005b, Streams: GIS cover, accessed 2005 at <http://www.land.state.az.us/alris/index.html>.
- _____, 2004, Land ownership: GIS cover, accessed in 2004 at <http://www.land.state.az.us/alris/index.html>.

E

Environmental Protection Agency (EPA), 2004 and 2006, Clean Watershed Needs Survey: datasets, accessed March 2005 at <http://www.epa.gov/owm/mtb/cwns/index.htm>.

O

Oregon State University, Spatial Climate Analysis Service (SCAS), 1998, Average annual precipitation in Arizona for 1961-1990: PRISM GIS cover, accessed in 2006 at www.ocs.orst.edu/prism.

U

US Army Corps of Engineers, 2004 and 2005, National Inventory of Dams: Arizona Dataset, accessed November 2004 to April 2005 at <http://crunch.tec.army.mil/nid/webpages/nid.cfm> (Reservoirs and Stockponds Table)

United States Geological Survey (USGS), 2008 & 2005, National Water Information System (NWIS) data for Arizona: Accessed October 2008 at <http://waterdata.usgs.gov/nwis>.

_____, 2006a, National Hydrography Dataset: Arizona dataset, accessed at <http://nhd.usgs.gov/>.

_____, 2006b, Springs and spring discharges: Dataset, received November 2004 and January 2006 from USGS office in Tucson, AZ.

_____, 2004, National Gap Analysis Program - Southwest Regional Gap analysis study- land cover descriptions: Electronic file, accessed January 2005 at <http://earth.gis.usu.edu/swgap>.

_____, 1981, Geographic digital data for 1:500,000 scale maps: USGS National Mapping Program Data Users Guide.

W

Western Regional Climate Center (WRCC), 2005, Pan evaporation stations: Data file accessed December 2005 at <http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwDI~GetCity~USA>.

_____, 2005, Precipitation and temperature stations: Data file, accessed December 2007 at <http://www4.ncdc.noaa.gov/cgi-win/wwcgi.dll?wwDI~GetCity~USA>.

Weidner, C., 1996, ADEQ Pollution Prevention Report, Arizona Pollution Prevention. Spring/Summer 1996. (Water Quality Table and Map)

Supplemental Reading

Betancourt, J.L. and R.M. Turner. 1993. Tucson's Santa Cruz River and the arroyo legacy. Tucson, Arizona: University of Arizona Press.

Cella Barr Associates. 1991. Water adequacy study for the City of Nogales: unpublished report, 132p.

Coggeshall, M.C. 1990. Hydrologic assessment and computer model application in the Upper Santa Cruz River Basin, Santa Cruz County, Arizona: University of Arizona master's thesis.

- Colby, B.G. and K.L. Jacobs eds, 2007, *Arizona Water Policy: Management and Innovations in an Urbanizing, Arid Region: Resources for the Future*, Washington D.C.
- Good Neighbor Environmental Board, 2005, *Water Resources Management on the U.S.-Mexico Border: Eighth Report to the President and Congress of the United States*.
- Governor's Drought Task Force, 2004, *Arizona Drought Preparedness Plan*. Draft. Phoenix.
- _____, 2004, *Arizona Drought Management Plan*. Draft. Phoenix
- Governor's Water Management Commission, 2000, *Briefing Book: Water Management Framework for AMAs, Groundwater Use Restrictions and Requirements*. Phoenix: Arizona Department of Water Resources.
- _____, 2002, *Final Report and Recommendations*.,Phoenix: Arizona Department of Water Resources.
- Hammett, B.A. and J.W. Sicard, 1995, *Maps showing Groundwater Conditions in the Santa Cruz and Tucson Active Management Areas Pima, Pinal and Santa Cruz Counties: Arizona Department of Water Resources Open-File 8*
- Holway, J.M. and K.L. Jacobs, 2006, *Managing for Sustainability in Arizona, USA: Linking Climate, Water Management and Growth*: in Mays, L., eds., *Managing for Sustainability in Arizona, USA: Linking Climate, Water Management and Growth*. McGraw-Hill.
- International Boundary and Water Commission. 1997. Memorandum from S. Tencza to F. Corkhill containing annual sewage inflow and outflow data for the Nogales International Wastewater Treatment Plant. Nogales, Arizona, United States Section.
- Jacobs, K. L. and J. M. Holway, 2004, *Lessons Learned from Twenty Years of Groundwater Management in Arizona, USA*. *Hydrogeology Journal*. 12, No. 1.
- Megdal, S. and Z. Smith, 2008, *Evolution and Evaluation of the Active Management Area Management Plans*, Water Resources Research Center, University of Arizona.
- Megdal, S. and B. Colby, 2004, *Arizona's Water Future: Challenges and Opportunities*, 85th Arizona Town Hall Background Report, University of Arizona.
- Nelson, K., 2007, *Groundwater Flow Model of the Santa Cruz Active Management Area along the Effluent-Dominated Santa Cruz River: Santa Cruz and Pima Counties, Arizona*, Arizona Department of Water Resources Modeling Report No. 14.
- Nelson, K. and G. Erwin, 2001, *Santa Cruz Active Management Area 1997-2001 Hydrologic Monitoring Report*: Arizona Department of Water Resources.

Scott, P.S., R.D. MacNish and T. Maddock III. 1996. Effluent recharge to the Upper Santa Cruz River floodplain aquifer, Santa Cruz County, Arizona, Arizona Research Laboratory for Riparian Studies at the University of Arizona, Tucson, Arizona. 75p.

Seventy-first Arizona Town Hall. 1997. Ensuring Arizona's Water Quantity and Quality into the 21st Century. Marshall A. Worden, editor. Phoenix: Arizona Town Hall.

