

**Land Subsidence Rate in the Avra Valley Sub-basin**  
 Based on Radarsat-2 Satellite Interferometric Synthetic Aperture Radar (InSAR) Data  
**Time Period of Analysis: 1.0 Years 04/25/2023 To 04/19/2024**


© MDA 2023 - 2024

**Explanation**

04/25/2023 To 04/19/2024

Land Subsidence Rate

- |                                 |                                 |
|---------------------------------|---------------------------------|
| Decorrelation/No Data           | Subsidence Feature              |
| Greater 7 cm/yr (2.8 in/yr)     | Hardrock                        |
| 5 - 7 cm/yr (2.0 - 2.8 in/yr)   | <b>Highways and Interstates</b> |
| 3 - 5 cm/yr (1.2 - 2.0 in/yr)   | Interstate                      |
| 2 - 3 cm/yr (0.8 - 1.2 in/yr)   | US                              |
| 1 - 2 cm/yr (0.4 - 0.8 in/yr)   | State                           |
| 0.5 - 1 cm/yr (0.2 - 0.4 in/yr) | Roads                           |
| 0 - 0.5 cm/yr (0 - 0.2 in/yr)   | Railway                         |



1:162,245

Decorrelation (white areas) are areas where the phase of the received satellite signal changed between satellite passes, causing the data to be unusable. This occurs in areas where the land surface has been disturbed (i.e. bodies of water, snow, agriculture areas, areas of development, etc).

Coordinate System: NAD 1983 UTM Zone 12N  
 Projection: Transverse Mercator  
 Datum: North American 1983  
 Units: Meter  
 Created: 5/3/2024

